LOVATO GAS S.P.A.
lpg and ngv systems
Strada Casale, 175 36100 Vicenza (VI) Italia
Tel +39 0444 218911 Fax +39 0444 501540
www.lovatogas.com e-mail: info@lovatogas.com

Technical INFO Nr. 12

13 April 2015

Newsletter of technical information reserved for Installers and Dealers Lovato Gas

New wiring and pneumatic diagrams for C-OBD 4Cyl Kits

In the new software version 1.7.8, available soon, you can find the new wiring and pneumatic diagrams of C-OBD 4 cylinders kit.

For more information please contact the Technical Assistance Service Lovato Gas



Connection of the level gauge					
Harness side	Sensor side				
	STD-LOVATO	LOV1050	AEB1050	0-90Ohm	CARTESIO
RED/WHITE					RED
GREEN				GREEN (WHITE)	
WHITE	GREEN (WHITE)	GREEN (WHITE)	WHITE	GREEN (WHITE)	WHITE
GND	BROWN (BLACK)	BROWN (BLACK)	BLACK	BROWN (BLACK)	BLACK

For more information please contact the Technical Assistance Service Lovato Gas

LOVATO	EASY FAST C 4 cylinder LP wiring diagram		revision 001
last revision date: 03-12-13	file name: WD_EFC_LP_G_0		Pag. 2/2







2	Multivalve	6	MAP sensor	11	Switch
3	Level sensor	7	Injector assembly	12	Self-diagnosis plug
4	Reducer vaporizer	9	EASY FAST 4C control unit	13	Fuse 15 A
5	Reducer temperature sensor	10	Harness		Reducer temperature sensor

For more information please contact the Technical Assistance Service Lovato Gas





For more information please contact the Technical Assistance Service Lovato Gas



Connection of the level gauge			
Harness side	Sensor side		
	LOV806	AEB806	AEB807A
RED/WHITE			RED
GREEN	PURPLE (GREEN)	GREEN	
WHITE	GREEN (WHITE)	WHITE	WHITE
BLACK	BROWN (BLACK)	BLACK	BLACK

For more information please contact the Technical Assistance Service Lovato Gas



2	Multivalve	6	Filter with sensors	11	Switch
3	Level sensor	7	Injectors assembly	12	Self-diagnosis plug
4	Reducer vaporizer	9	EASY FAST 4C control unit	13	Fuse 15 A
5	Reducer temperature sensor	10	Harness		

For more information please contact the Technical Assistance Service Lovato Gas